




Registered Office: 7th Floor, Windsor, C.S.T. Road, Kalina, Santacruz (E), Mumbai - 400 098, Maharashtra, India. Liaison Office: 242, 8-A, National Highway, Dhuva, Morbi - 363 621, Gujarat, India. Contact: +91 22 4086 7600 / 700 E-mail: info@rrpil.com Website: www.rrpil.com



### LEADERSHIP IS AN **ACTION**, NOT A POSITION.

### <u>ABOUT U</u>S

RMC Readymix Porselano (India) Limited (RRPIL) is one of the fastest growing building materials global supply partners headquartered in (India) that specialises in the production of Tiles and Bath ware. It is a part of (India's) leading integrated building material conglomerate with a presence of more than six decades.

The parent company is well-known for its extensive and innovative solutions in Cement, Ready-mix Concrete, Tiles, Sanitaryware & faucets, Adhesives etc. With an annual turnover of >70 million USD, the company has a significant market share in the building material segment. The business focuses on customer delight and aims to add more value by offering high-quality goods and services, as well as by developing innovative methods to enhance manufacturing competency and introducing cutting-edge technology.

#### OUR CERTIFICATIONS

- CERTIFICATION OF CONFORMITY.
- ISO 14001:2015
- ISO 9001:2015







#### NATURAL LAPPATO Ν CARVINC RUSTIC POLISHED P HIGH GLOSSY HG COLOUR VARIATIONS V2 LIGHT V1 EVEN INDICATIONS FOR USE FLOOR TILES WALL TILES Ŵ SUGGESTED APPLICATIONS DOMESTIC PURPOSE LIGHT COMMERCIAL TRAFFIC AREA

















SURFACE LOOK

м



lcons

TYPOLOGY

EDGE

S

RECTIFIED

SURFACE STRUCTURE

SMOOTH





















STRAIGHT

LIGHT STRUCTURE





#### HS STRUCTURE

| ULL<br>APPATO |  |
|---------------|--|
|               |  |







MATT











OUTDOOR



#### **GLAZED PORCELAIN**



### GLAZED PORCELAIN

### TILE SIZE

120X240 CM

120X180 CM

120X120 CM

20X120 CM

80X160 CM

60X120 CM

60X60 C M

30X30 CM



### PG NO.

| <br>05  |
|---------|
| <br>59  |
| 77      |
| <br>95  |
| <br>99  |
| <br>113 |
| <br>129 |
| <br>137 |
| <br>    |

#### GLAZED PORCELAIN 120 x 240 CM




VA SILK MACCHIA VECCHIA (A&B) LIGHT





G/P

VA SILK STATUARIO AMAZE LIGHT





ß

Ν

s

S

M

 $\langle \rangle$ 









G/P





ß

Ν

S

M

*S*[*)* 





VA SILK PULPIS BIANCO LIGHT

s

VA SILK PULPIS GREY DARK





M

*S*[*)* 



ß





VA SILK PULPIS BRONZE DARK

s



G/P





**F** 

Ν

S

M

*SD* 





VA METALCID GREY LIGHT

м

VA METALCID NATURAL LIGHT

м



G/P

Ν

S

M

 $\langle \rangle$ 



**F** 







M

 $\langle \rangle$ 




VA METALCID NERO DARK

м

VA METALCID BROWN DARK

м





ß






VA VOLCANO COPPER DARK

м



G/P

VA VOLCANO GREY DARK





ß

Ν

S

M

 $\langle \rangle$ 








м



G/P





ß

Ν

S

M

*SD* 







с



G/P

VA SILICA CEMENTO DARK

c

Ν

S

M


 $\langle \rangle$ 





ß







c



G/P

VA SILICA NERO DARK

с

Ν

S

M


*S*[*)* 






ê





VA SILICA BIANCO LIGHT

м



G/P

VA SILICA GREY DARK





**F** 

Ν

м

S

M


 $\langle \rangle$ 







HG



G/P

VA ANVI BEIGE LIGHT

HG

Ν

S

M

*S*[*)* 





**F** 







HG





Ν

S

G/P





ê

M

*S*[*)* 







нс



G/P

VA BOTTOCHINO BEIGE LIGHT


HG

Ν

S

M

*SD* 





ß







HG

VA BURBERRY BEIGE LIGHT



G/P




Ν

S

M

 $\langle \rangle$ 





ß







VA BURBERRY BIANCO LIGHT

HG

VA BURBERRY GREY LIGHT



G/P Ν S

M

*S*[*)* 



ß







G/P

VA ELITE TUSK LIGHT

HG

VA ELITE GREY LIGHT


н

Ν

S

M

*S*[*)* 





ê







G/P

VA IRIS IVORY LIGHT

HG





ß

Ν

S

M

*S*[*)* 





VA GEONA IVORY LIGHT


HG



G/P

VA MACCHIA VECCHIA (A& B) LIGHT 🛛 🕅







ß

Ν

S

M

*S*[*)* 







HG



G/P

VA PULPIS IVORY LIGHT

HG

Ν

S

M

*S*[*)* 





ê







HG





G/P



Ν

S

M

*SD* 






**F** 






M

90




VA AMAZONITE DARK

HG



VA FOSSIL NERO DARK

HG





ß







HG



G/P

VA OCTTASTONE GREY DARK

HG

Ν

S

M

*SD* 






**F** 





VA PULPIS BRONZE DARK

HG



G/P

VA PULPIS GREY DARK

HG

Ν

S

M

*S*[*)* 





ß







G/P

VA CALCUTTA BORGHINI LIGHT

VA CARRARA GEONA GOLD LIGHT

HG

Ν

S

Ś

*SD* 






ß







G/P





**F** 

Ν

S

M

 $\langle \rangle$ 









HG



VA CRYSTAL WHITE (PLAIN WHITE) LIGHT

G/P





ê

Ν

S

M


<u>(</u>)







G/P



Ν

S

M

<u>(</u>)

VA NIRVANA CREAMA

s

VA TANISHQ WHITE

s





**F** 














Ν S

M

<u>(</u>)






ß







G/P



Ν

S

M

<u>(</u>)

VA CANON BONE

,

VA CANON GREY

**,** 



ß










G/P



**,** 

VA MAHE STATUARIO




Ν

S

M

<u>(</u>)





**F** 





M

<u>(</u>)








VA AMITY GREY


c



ê







G/P

VA SILICA BIANCO LIGHT

c

VA SILICA GREY DARK

c c

Ν

S

M

<u>(</u>)





ß





M

<u>(</u>)



VA SILICA CEMENTO DARK

м



VA SILICA IVORY LIGHT

м





D'

**F** 





M

*SD* 





VA SILICA NERO DARK

м

VA FELLAS BROWN

м





ß





VA FOSSIL NERO DARK

на



G/P



VA PULPIS BRONZE DARK

Ν

S

M

 $\langle \rangle$ 

HG



Sf

ß





#### VA PULPIS GREY DARK

HG

G/P Ν S

M

 $\langle \rangle$ 



VA ANVI BEIGE LIGHT

, .



VA ANVI BIANCO LIGHT

p



VA ANVI GREY LIGHT



VA ASPEN IVORY LIGHT

**P** 





ß



### GLAZED PORCELAIN 120 X 120 CM





VA DYNA ORO BEIGE



VA BURBERRY BEIGE

VA BOTTOCHINO BIANCO LIGHT




VA BURBERRY BIANCO LIGHT

**/** 



M

 $\langle \rangle$ 







ß



G/P Ν S



VA BRECCIA CREMA

#### , P



VA CREMA MARFIL BEIGE LIGHT

p

VA IRIS GREY LIGHT

VA FANTASY BROWN LIGHT



M

 $\langle \rangle$ 





VA MARLIN IVORY LIGHT



Ê



,



M

 $\langle \rangle$ 



VA PULPIS BIANCO LIGHT

HG



VA SILVER RIVER BROWN LIGHT

HG

VA PULPIS LIGHT



HG

HG






ß





M

 $\langle 0 \rangle$ 



VA FOSSIL NERO DARK



VA MARQUINA NERO DARK

HG




VA PULPIS BRONZE DARK

HG



VA PULPIS GREY DARK

HG







d f

ê

 $\widehat{\Box}$ 



### GLAZED PORCELAIN 120 X 120 CM



M


 $\langle \rangle$ 



VA STATUARIO AMAZE LIGHT




VA CALCUTTA BORGHINI LIGHT



VA STATUARIO KRYPTON LIGHT

VA CYSTAL WHITE (PLAIN WHITE)-LIGHT






ß







VA SILICA BIANCO LIGHT



VA SILICA GREY DARK

м VA SILICA IVORY LIGHT



VA SILICA CEMENTO DARK



м



M

 $\langle \rangle$ 





J.

ß







VA THOMAS LIGHT



VA THOMAS GREY DARK



VA THOMAS NATURAL LIGHT



VA THOMAS IVORY LIGHT



VA SILK BURBERRY BEIGE LIGHT

M

 $\langle 0 \rangle$ 





2Z


ß

 $\widehat{\Box}$ 





VA SILK PULPIS BIANCO LIGHT








### GLAZED PORCELAIN 120 X 120 CM





VA SILK MARQUINA NERO DARK

HG



VA SILK PULPIS GREY DARK

,



VA METALCID GREY LIGHT



VA SILK PULPIS BRONZE DARK



VA METALCID NATURAL LIGHT







м



VA METALCID BROWN DARK

### GLAZED PORCELAIN 20 X 120 CM





#### M

 $\langle \rangle$ 



COPPER



м

CLARA WOOD CREMA



CLARA WOOD BEIGE



COSTER WOOD COPPER

м



MAPPLE WOOD VERDE





ß

IVORY

SLATE WOOD OLIVE







**BIRCH WOOD** BROWN



BIRCH WOOD COFFEE

M



м MAPPLE WOOD

BROWN







SLATE WOOD WENGUE



RUST WOOD BEIGE



RUST WOOD WHITE

### GLAZED PORCELAIN 20 X 120 CM

G/P Ν S





м

NICKSON

BEIGE

OAK WOOD NERO



м

м

ASAD

MAPLE



ALDER WOOD NATURAL



ORIANT BROWN



JAROD OLIVE



ORIANT WALNUT



LACE WOOD BEIGE





ß

COFFEE














WALNUT

ASAD









M

30







J.



HEAL WOOD WALNUT



DALMIA GREY



TIAMA BROWN



DALMIA NERO






м

TIAMA BURN

-|\_\_\_\_\_ G/P








VA BELGIUM PEARL 🛄 🔛


VA BULGERIA NERO 🛄






**F** 





G/P S





 $\langle \rangle$ 



ß






### GLAZED PORCELAIN 80 X 160 CM

G/P Ν S

M

 $\langle \rangle$ 



PORTICO NATURA м

PRINCE STATUARIO

PORTICO SMOKE м


ODESSY CREMA



ß













ß



### GLAZED PORCELAIN 80 X 160 CM

G/P Ν S



VA GREECE SILVER







ONYX



M

90

VA ETHER CALCUTTA

p VA SEOUL BIANCO





ß









VA PLACID PEARL
























VA NEVADA BEIGE 🔃






**F** 



G/P Ν S





VA CORELLA GREY



HG



HG VA GLOBUS NERO



HG VA SOPHIA NERO





ê



G/P S

Ν

M

M



 $\langle \rangle$ 



VA ODESSY CREMA

м



VA CARYL SILVER

м

м

VA SHELL GREY

м

VA PORTICO NATURA

VA PORTICO SMOKE



VA PRINCE STATUARIO

VA PORTICO GREY



VA BUFFON IVORY

м




ß



### GLAZED PORCELAIN 60 X 120 CM












ARTECH GREY





м

ARTECH BIANCO



ARTECH GRISS





GRACE BEIGE

GRACE TUSK



J.

ê







ARTECH BLUE



GRACE BIANCO

| <u>G/P</u> <u>-</u> S N |  |
|-------------------------|--|
|-------------------------|--|







SIFON GRISS



Ś

 $\langle \rangle$ 

SPENDID NATURAL



M

SIFON TUSK

SIFON DOVE



SPENDID GREY





REVOKE DOVE



÷











SPENDID BEIGE







REVOKE VERDE





MURATO CREMA

м

G/P S

Ν

M



VA BIXBITE BEIGE

,

VA BIXBITE GREY









, 

VA CARYL SILVER



VA CITRINE BEIGE





Sf

ß

 $\langle \rangle$ 



### GLAZED PORCELAIN 60 X 120 CM



M 30







VA CONWAY GREY



VA DIANA AMBER



VA ROSALIA BIANCO





VA KYNITE WHITE



VA MONARCH STATUARIO



VA NAPEAN SILVER





P

VA CORTEN GREY



VA ROYAL STATUARIO













VA GRIFONI ONYX

VA PAROLO STATUARIOME
















VA AMBROSIA TAN





VA NEPOLI SMOKE



P

VA BUFFON SMOKE

VA HARBIN SILVER



VA FENWAY STATUARIO















VA VEGAS SHELL



VA NEXA SILVER



VA ZEN GREY

G/P Ν S

M  $\langle \rangle$ 







VA FILO MOCHA



с 

VA FEATHER PEARL



VA FILO SILVER





ß



## glazed porcelain 60 X 120 CM M ß $\langle 0 \rangle$ G/P Ν S c c c c VA FLORAL ART DÉCOR VA GRANITE PEARL VA TROUT LUSH VA GRANITE GREY





VA MARVEL SILVER

VA MARVEL STEEL

с



VA RIVERSTONE SILVER





d f







VA ARMILO SILVER





## glazed porcelain 60 X 60 CM

G/P S



M 90



VA ARTECH IVORY




VA ARTECH BROWN



VA ARTECH COPPER

VA ARTECH BIANCO

VA ARTECH BLUE



VA ARTECH GREY



VA ARTECH GRISS

м 

м

м




VA GRACE BEIGE



VA GRACE DOVE





VA ARTECH NERO



VA GRACE TUSK

VA GRACE BIANCO



*Sf* 

ß



### GLAZED PORCELAIN 60 X 60 CM












VA SIFON BIANCO



VA SIFON DOVE




м

м

VA SIFON GRISS




VA SPENDID GREY



VA SIFON TUSK



VA SPENDID NATURAL



VA REVOKE DOVE



VA MURATO BROWN



 $\widehat{\Box}$ 

VA KILOS BIANCO



VA COTTAGE WOOD CREMA

WENGUE



м

VA BELD WOOD NATURAL





VA CANARY TERASTONE





VA SPENDID BEIGE



VA REVOKE VERDE



VA REVOKE BEIGE

VA MURATO CREMA









м

R





VA MERANTI WOOD









VA BELD WOOD BIANCO

VA CANARY BIANCO



R 

VA CANARY VOLCANO

### GLAZED PORCELAIN 60 X 60 CM












VA CANARY IVORY



VA BRILLER GRAY



VA BRILLER BIANCO




VA BRILLER NERO



VA BRILLER ASH



VA SERA STONE CREAMA



VA SERA STONE NERO



VA MEGANA



VA ALBAMA BIANCO

P

 $\widehat{\Box}$ 



VA KIFA BIANCO


VA MOSCATO CREMA







p



VA SERA STONE DOVE




VA SERA STONE COPPER




R

BIANCO



VA GEA AZUL



VA ITANO IVORY

p 

















VA KIFA LT GREY



VA ITANO NATURA



P.

VA MOSCATO LT GREY



VA MAGICAL STATUARIO



VA MAJESTIC ONYX



### GLAZED PORCELAIN 60 X 60 CM

G/P S Ν









VA TORSO



VA BOTTOCHINO REGAL



VA ARONA SATUARIO



VA FIORE WHITE



VA STATUARIO



VA TRAVERTINO GREY

VA NOEMI WHITE

VA BURBERRY CREMA

,

p



VA ATHENA BISC



VA LUMINA IVORY



VA ARDEN ONYX OLIVE




VA BURBERRY BEIGE





VA ULTRON IVORY



VA ROXY BLACK

VA EMPRADOR FUME





/ BLACK











HG

VA ARTY







VA LEXUS BLACK

### GLAZED PORCELAIN 30 X 30 CM



VA RIVENZA



VA AQUA BLUE





G/P

VA AQUA BROWN

VA FLORITA

BEIGE



S

Ν

M

 $\langle 0 \rangle$ 

VA ZEMENT OCEAN






VA DEO PINE



VA TIMBER GOLD



VA ORCHER GREY





#### VA ZEMENT CHROME



VA MARMI BROWN



VA DEO OAK WOOD



VA TIMBER VERDE



R 

#### VA STONE BEIGE




R 









R



сосо



VA MARMI VERDE



WOOD










VA ROCK BROWN



VA MARMI

WOOD









dy

ß

 $\widehat{\Box}$ 



#### GLAZED PORCELAIN 30 X 30 CM





VA MATRIX CREMA





PEARL



VA PARMA NERO




VA ALTAI NERO



VA MILE STONE NERO



VA GIALLO NATURAL



VA PARMA GREY



VA ALTAI BIANCO



VA MILE STONE GREY





VA TESLA FOREST

VA PARMA BIANCO



VA ALTAI BROWN



VA MILE STONE BIANCO



S

G/P

R

R

Ν

VA TESLA GRISS



VA PARMA BEIGE



VA ARTISTRY BEIGE



VA ALTAI TUSK



VA SLATE NERO



M

30



VA VORTEX

COPPER

ß


 $\widehat{\Box}$ 

VA VORTEX BEIGE





VA ESQUINA GREY





2f



R



VA VORTEX GREY



VA ANTIQUE LIGHT GREY



R



| G/P | GLAZED<br>PORCELAIN TILES | U/P | UNGLAZED<br>PORCELAIN<br>TILES |
|-----|---------------------------|-----|--------------------------------|
|     | Bla                       |     | Bla                            |

#### CERAMIC С - Blla

#### **TECHNICAL SPECIFICATIONS - GLAZED VITRIFIED TILES / GROUP Bla**

| CHARACTERISTIC                         | TEST METHOD  | INTERNATIONAL STD<br>ISO 13006/EN 176 GROUP Bla             | VAMIL VALUE     |  |
|--|--------------|---|-----------------|--|
| DIMENSION & SURFACE QUALITY            |              |   |                 |  |
| Deviation In Length                    | ISO-10545-2  | ±0.6%   | ±0.2%           |  |
| Deviation In Thickness                 | ISO-10545-2  | ±5%   | ±3%             |  |
| Straightness of Sides                  | ISO-10545-2  | ±0.5%   | ±0.2%           |  |
| Rectangularity                         | ISO-10545-2  | ±0.6%   | ±0.2%           |  |
| Surface Flatness                       | ISO-10545-2  | ±0.5%   | ±0.2%           |  |
| PHYSICAL & THERMAL PROPERTIES          |              |   |                 |  |
| Water Absorption                       | ISO-10545-3  | <0.05%  | <0.04%          |  |
| Mohs Hardness                          | EN-101       | Min.5   | Min.5           |  |
| Flexural Strength                      | ISO-10545-4  | >35 N/mm2   | >40N/mm2        |  |
| Skid Resistance (Friction Coefficient) | ISO-10545-17 | >0.4  | >0.4            |  |
| Breaking Strength                      | ISO-10545-11 | >1113 N   | >1800N          |  |
| Frost Resistance                       | ISO-10545-12 | Frost Proof   | Frost Proof     |  |
| Thermal Shock Resistance               | ISO-10545-9  | No Damage   | No Damage       |  |
| Moisture Expansion                     | ISO-10545-10 | NIL   | NIL             |  |
| Resistance to Surface Abrasion         | ISO-10545-7  | Abrasion class shall be<br>specified by the<br>manufacturer | PEI III, IV & V |  |
| CHEMICAL PROPERTIES                    |              |   |                 |  |
| Chemical Resistance                    | ISO-10545-13 | No Damage   | No Damage       |  |
| Color Resistance                       | ISO-10545-16 | No Damage   | No Damage       |  |
| Stain Resistance                       | ISO-10545-14 | Resistant   | Resistant       |  |

#### **PACKING DETAILS**

|  | Dimension<br>(CM) | BOX          |         |          |        |                |           |
|--|-------------------|--------------|---------|----------|--------|----------------|-----------|
|  |                   | Pcs. per box | Sq. mtr | Sq. feet | Weight | Boxes / Pellet | Container |
|  | 120x240 CM        | 1            | 2.88    | 31.00    | 60.00  | 37             | 6         |
|  | 120x180 CM        | 2            | 4.32    | 46.50    | 87.00  | 27x9, 15x3     | 12        |
| G/P 120x120 CM   80x160 CM   60x120 CM   60x60 CM   30x30 CM | 120x120 CM        | 2            | 2.88    | 31.00    | 60.00  | 22             | 20        |
|  | 20x120 CM         | 5            | 1.20    | 12.92    | 27.10  | 26             | 38        |
|  | 80x160 CM         | 2            | 2.56    | 27.56    | 50.00  | 28             | 17        |
|  | 60x120 CM         | 2            | 1.44    | 15.50    | 29.00  | 64x12, 30x6    | 18        |
|  | 60x60 CM          | 4            | 1.44    | 15.50    | 26.50  | 40             | 25        |
|  | 30x30 CM          | 8            | 0.72    | 7.75     | 14.40  | 96             | 19        |
|  |                   |              |         |          |        |                |           |

| 120x180 CM | 2 | 4.32 | 46.50 | 87.00 | 27x9, 15x3  | 12 |
|------------|---|------|-------|-------|-------------|----|
| 80x240 CM  | 1 | 1.92 | 20.67 | 69.00 | 26          | 12 |
| 600x120 CM | 2 | 1.44 | 15.50 | 29.00 | 64x12, 30x6 | 18 |
| 60x60 CM   | 4 | 1.44 | 15.50 | 26.50 | 40          | 25 |

#### **TECHNICAL SPECIFICATIONS - CERAMIC TILES / GROUP BIIa**

| CHARACTERISTIC                         | TEST METHOD                 | INTERNATIONAL STD<br>ISO 13006/EN 176 GROUP Bla             | V A MIL VALUE      |  |  |  |  |  |
|--|-----------------------------|---|--------------------|--|--|--|--|--|
| DIMENSION & SURFACE QUALITY            | DIMENSION & SURFACE QUALITY |   |                    |  |  |  |  |  |
| Deviation In Length                    | ISO-10545-2                 | ±0.6%   | ±0.2%              |  |  |  |  |  |
| Deviation In Thickness                 | ISO-10545-2                 | ±5%   | ±3%                |  |  |  |  |  |
| Straightness of Sides                  | ISO-10545-2                 | ±0.5%   | ±0.2%              |  |  |  |  |  |
| Rectangularity                         | ISO-10545-2                 | ±0.6%   | ±0.2%              |  |  |  |  |  |
| Surface Flatness                       | ISO-10545-2                 | ±0.5%   | ±0.2%              |  |  |  |  |  |
| PHYSICAL & THERMAL PROPERTIES          |                             |   |                    |  |  |  |  |  |
| Water Absorption                       | ISO-10545-3                 | 3% < E ≤ 6%   | 4 ~ 5%             |  |  |  |  |  |
| Mohs Hardness                          | EN-101                      | Min.5   | Min.5              |  |  |  |  |  |
| Flexural Strength                      | ISO-10545-4                 | >20   | >40 <b>№20</b> nm2 |  |  |  |  |  |
| Skid Resistance (Friction Coefficient) | ISO-10545-17                | >0.4  | >0.4               |  |  |  |  |  |
| Breaking Strength                      | ISO-10545-11                | >1000   | >1000              |  |  |  |  |  |
| Frost Resistance                       | ISO-10545-12                | Frost Proof   | Frost Proof        |  |  |  |  |  |
| Thermal Shock Resistance               | ISO-10545-9                 | No Damage   | No Damage          |  |  |  |  |  |
| Moisture Expansion                     | ISO-10545-10                | NIL   | NIL                |  |  |  |  |  |
| Resistance to Surface Abrasion         | ISO-10545-7                 | Abrasion class shall be<br>specified by the<br>manufacturer | PEI III, IV & V    |  |  |  |  |  |
| CHEMICAL PROPERTIES                    |                             |   |                    |  |  |  |  |  |
| Chemical Resistance                    | ISO-10545-13                | No Damage   | No Damage          |  |  |  |  |  |
| Color Resistance                       | ISO-10545-16                | No Damage   | No Damage          |  |  |  |  |  |
| Stain Resistance                       | ISO-10545-14                | Resistant   | Resistant          |  |  |  |  |  |

| Dimension | BOX          |         |          |        |                |           |  |
|-----------|--------------|---------|----------|--------|----------------|-----------|--|
| (CM)      | Pcs. per box | Sq. mtr | Sq. feet | Weight | Boxes / Pellet | Container |  |
| 60x60 CM  | 4            | 1.44    | 15.50    | 26.50  | 40             | 25        |  |
| 20x60 CM  | 6            | 0.72    | 7.75     | 12.00  | 96             | 24        |  |
| 30x60 CM  | 5            | 0.90    | 9.69     | 13.00  | 96             | 21        |  |
| 30x45 CM  | 6            | 0.81    | 8.72     | 11.00  | 120            | 20        |  |
| 30x30 CM  | 9            | 0.81    | 8.72     | 11.00  | 120            | 20        |  |
| 10x20 CM  | 50           | 1.00    | 10.76    | 12.60  | 90             | 24        |  |
| 7.5x30 CM | 44           | 0.99    | 10.66    | 13.20  | 81             | 24        |  |



#### PACKING DETAILS



|   | CERAMIC |
|---|---------|
| С |         |
|   | BIII    |

#### **TECHNICAL SPECIFICATIONS - CERAMIC TILES / GROUP BIII**

| CHARACTERISTIC                         | TEST METHOD  | INTERNATIONAL STD<br>ISO 13006/EN 176 GROUP Bla             | VAMIL VALUE |  |  |  |  |
|--|--------------|---|-------------|--|--|--|--|
| DIMENSION & SURFACE QUALITY            |              |   |             |  |  |  |  |
| Deviation In Length                    | ISO-10545-2  | ±0.6%   | ±0.2%       |  |  |  |  |
| Deviation In Thickness                 | ISO-10545-2  | ±5%   | ±3%         |  |  |  |  |
| Straightness of Sides                  | ISO-10545-2  | ±0.5%   | ±0.2%       |  |  |  |  |
| Rectangularity                         | ISO-10545-2  | ±0.6%   | ±0.2%       |  |  |  |  |
| Surface Flatness                       | ISO-10545-2  | ±0.5%   | ±0.2%       |  |  |  |  |
| PHYSICAL & THERMAL PROPERTIES          |              |   |             |  |  |  |  |
| Water Absorption                       | ISO-10545-3  | E > 10%   | 12 ~ 14%    |  |  |  |  |
| Mohs Hardness                          | EN-101       | Min.5   | Min.5       |  |  |  |  |
| Flexural Strength                      | ISO-10545-4  | 15  | 15          |  |  |  |  |
| Skid Resistance (Friction Coefficient) | ISO-10545-17 | >0.4  | >0.4        |  |  |  |  |
| Breaking Strength                      | ISO-10545-11 | Min. 600  | Min. 600    |  |  |  |  |
| Frost Resistance                       | ISO-10545-12 | Frost Proof   | Frost Proof |  |  |  |  |
| Thermal Shock Resistance               | ISO-10545-9  | No Damage   | No Damage   |  |  |  |  |
| Moisture Expansion                     | ISO-10545-10 | NIL   | NIL         |  |  |  |  |
| Resistance to Surface Abrasion         | ISO-10545-7  | Abrasion class shall be<br>specified by the<br>manufacturer | PEI III     |  |  |  |  |
| CHEMICAL PROPERTIES                    |              |   |             |  |  |  |  |
| Chemical Resistance                    | ISO-10545-13 | No Damage   | No Damage   |  |  |  |  |
| Color Resistance                       | ISO-10545-16 | No Damage   | No Damage   |  |  |  |  |
| Stain Resistance                       | ISO-10545-14 | Resistant   | Resistant   |  |  |  |  |

#### **PACKING DETAILS**

| Dimension | вох          |         |          |        |                |           |  |
|-----------|--------------|---------|----------|--------|----------------|-----------|--|
| (CM)      | Pcs. per box | Sq. mtr | Sq. feet | Weight | Boxes / Pellet | Container |  |
| 60x60 CM  | 4            | 1.44    | 15.50    | 26.50  | 40             | 25        |  |
| 20x60 CM  | 6            | 0.72    | 7.75     | 12.00  | 96             | 24        |  |
| 30x60 CM  | 5            | 0.90    | 9.69     | 13.00  | 96             | 21        |  |
| 30x45 CM  | 6            | 0.81    | 8.72     | 11.00  | 120            | 20        |  |
| 30x30 CM  | 9            | 0.81    | 8.72     | 11.00  | 120            | 20        |  |
| 10x20 CM  | 50           | 1.00    | 10.76    | 12.60  | 90             | 24        |  |
| 7.5x30 CM | 44           | 0.99    | 10.66    | 13.20  | 81             | 24        |  |

DISCLAIMER : Vamil Tiles reserves the right to delete and amend either totally or partially, any of the colors, shapes, sizes, reference and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process, please refer actual sample before final selection. The details of sizes, colors, references should

#### NOTES

